



2023 Catalogue

Vietnamese Natural Stones - Essence of Nature's Creation

PRODUCT



Content

BLOCKSTEP	03
PALISADES	05
COUNTER TOP	07
TOMBSTONES	09
KERBSTONES	13
SLABS & TILES	15
COBBLES	17
OTHERS	19

BLOCKSTEP



LG Grannida



PM White




PALISADES



LG Grannida



PM White




COUNTER TOP




Counter Top



TOMBSTONES




Tombstones



Tombstones



Tombstones



KERBSTONES



Kerbstones



SLABS & TILES




Slabs & Tiles



COBBLES



Cobbles



OTHER



Slabs & Tiles




COLOR



Content

DARK GREY	23
PM WHITE	25
PY CREAM	27
SL WHITE	29
PC VIOLET	31
GL PINK	33
TD VIOLET	35
LIGHT YELLOW	37
PY BLACK	39
GREY BASALT	41
WHITE MARRBLE	43

DARK GREY



BUSH-HAMMERED



FLAMED



POLISHED

TECHNICAL DATA

Density
3 ton/m³

Flexure Strength
23.25 Mpa

Water Absorptime
0.3 %

Abrasion Resistance
97.8 mm

PM WHITE



BUSH-HAMMERED

TECHNICAL DATA

Density
2,7 ton/m³


Flexure Strength
17.9 Mpa

Water Absorptime
0.6 %

Abrasion Resistance
16.6 mm



FLAMED



POLISHED


PY CREAM



BUSH-HAMMERED



FLAMED



POLISHED

TECHNICAL DATA

Density
2,7 ton/m³

Flexure Strength
17.9 Mpa

Water Absorptime
0.6 %

Abrasion Resistance
16.6 mm

SL WHITE



BUSH-HAMMERED



FLAMED



POLISHED

TECHNICAL DATA

Density
2.7 ton/m³

Flexure Strength
12 Mpa

Water Absorptime
0.7 %

Abrasion Resistance
16.5 mm

PC VIOLET



BUSH-HAMMERED



FLAMED



POLISHED

TECHNICAL DATA

Density
2.7 ton/m³

Flexure Strength
17 Mpa

Water Absorptime
0.4 %

Abrasion Resistance
16.3 mm

GL PINK



BUSH-HAMMERED



FLAMED



POLISHED

TECHNICAL DATA


Density
ton/m³

Flexure Strength
Mpa


Water Absorptime
%

Abrasion Resistance
mm

TD VIOLET



BUSH-HAMMERED



FLAMED



POLISHED

TECHNICAL DATA

Density
ton/m³

Flexure Strength
Mpa

Water Absorptime
%

Abrasion Resistance
mm

LIGHT YELLOW



BUSH-HAMMERED



FLAMED



POLISHED

TECHNICAL DATA

Density
2.7 ton/m³

Flexure Strength
17 Mpa

Water Absorptime
0.4 %

Abrasion Resistance
16.3 mm

PY BLACK



BUSH-HAMMERED

TECHNICAL DATA

Density
3 ton/m³

Flexure Strength
32.1 Mpa

Water Absorptime
0.2 %

Abrasion Resistance
63.9 mm



FLAMED



POLISHED


GREY BASALT



HONED



POLISHED



HARMED

TECHNICAL DATA

Density
3 ton/m³

Flexure Strength
17 Mpa

Water Absorptime
2.4%

Abrasion Resistance
16.3 mm

WHITE MARBLE



SAND BLASTED



POLISHED



POLISHED



TECHNICAL DATA

Density
2,7 ton/m³

Flexure Strength
18 Mpa

Water Absorptime
0.0 %

Abrasion Resistance
33.5 mm

Contact



Made in Vietnam



We are a supplier from Vietnam with strong working relationships with over 200 factories, manufacturing exciting products for our valued customers.

Our offices and teams of 50 product managers, designers, quality control and logistic specialists are based in Hanoi, Ho Chi Minh, Binh Duong and Qui Nhon, main manufacturing regions of Vietnam give us the expertise and extensive network of supply chain partners needed to meet the diverse needs of our customers.

We offer a wide range of products and manage all aspect of supply chain for you from design & pricing to factory & material sourcing, manufacturing control to shipping and transport.

UK and Europe

sushil.ohari@midanz.com

+44 79 5084 5449

Vietnam

paris.vu@midanz.com

+84 988 768 998

Hanoi, Vietnam

Level 8, CDS Building
No.33/61, Lac Trung Street
Hanoi
Viet Nam

Ho Chi Minh City, Vietnam

14th Floor, HM Town
412 Nguyen Thi Minh Khai,
Ward 5, District 3,
Ho Chi Minh City
Vietnam

Quy Nhon, Vietnam

Lot 11 An Phu Center
Tay Son Street,
Quang Trung Ward,
Quy Nhon City
Vietnam

United Kingdom

7 Dawlish Avenue
London N14 4HP
United Kingdom